

Deploy ESET Protect Agent “Push” metoda; Instalacijski paket; Agent Live Installer

Tema

Slanje (instalacija) EMagenta za povezivanje s ESET Protect (EPX) serverom

Metoda: Push EMagenta sa servera na klijente

Postupci tl;dr

- [1] [Push EMagenta - Kreirajte server task “Agent deployment”](#)
- [2] [Kreirajte jedinstveni instalacijski paket EMagent+Endpoint](#)
- [3] [Kreirajte batch datoteku Agent Live Installer](#)

[1] Push EMagenta s ESET protect servera

- Otvorite ESET konzolu
- Otvorite karticu “Tasks”
- Kliknite na gumb [New..]
- Odaberite “Server task”
- Uključite “Run task immediately after finish” i klik
- Kliknite na [Continue]
- U polje “Server hostname (optional)” upišite jedno od sljedećega, ovisno o stanju vaše lokalne mreže
 - ☐ FQDN ESET protect servera (npr. epx.domena.local)
 - ☐ NetBIOS naziv (npr. EPX)
 - ☐ LAN IP adresu EPX servera (npr. 192.168.102.100)
 - ☐ WAN IP adresu EPX servera
 - (npr. 8.8.8.8; ovo upišite samo ako je ESET Protect server zaista dostupan klijentima s interneta; v.<https://www.nod32.com.hr/podrska/kb6815>)
- U polja “Username” i “Password” upišite podatke domenskog administratora
 - ☐ ako je ESET Protect na Linuxu - obavezno upišite u obliku “administrator@DOMENA.LOCAL”
 - ☐ ako nemate domenu, onda morate koristiti podatke workgroup-administratora ili administratora svakog pojedinačnog računala na koje ćete instalirati paket
- Pričekajte da se Agent instalira
- Nakon 20-tak minuta provjerite na konzoli je li se računalo pojavilo
- Pošaljite mu poruku sa konzole za probu (<https://www.nod32.com.hr/podrska/kb12534>)

Slike

New Server Task

Tasks > DeployAgent

Basic

⚠ Settings

Trigger

Advanced Settings - Throttling

Summary

Name

DeployAgent

Tags

Select tags

Description

Task

Agent Deployment

Run Task

☒ Run task immediately after finish

☐ Configure trigger

New Server Task

Tasks

> DeployAgent

Basic

Settings

Trigger

Advanced Settings - Throttling

Summary

Agent deployment settings

Targets

1 target

i

Server hostname (optional)

[FQDN / NETBIOS/ LAN IP / WAN IP]

Target computers credentials

Enter username and password for the user with sufficient rights to perform the task

Username

DOMENA\administrator

Password

.....

BACK

CONTINUE

FINISH

CANCEL

[2] Jedinstven instalacijski paket “EMagent + Endpoint”

Video

<https://www.nod32.com.hr/podrska/wp-content/uploads/epx-installer-emagent-endpoint-2.mp4>

[3] Agent Live Installer - Batch datoteka

https://help.eset.com/protect_admin/latest/hr-HR/agent_live_installer.html

https://help.eset.com/protect_admin/latest/en-US/agent_live_installer.html

FQDN LANIP WANIP NetBIOS agent emagent install deploy xagent xemagent xinstall xdeploy epX xepX remote
xremote xFQDN xLANIP xWANIP xNetBIOS endpoint xendpoint eali xeali Live Installer xlive xinstaller
xliveinstaller sh xsh bat xbat cmd xcmd aio xaio all-in-one allinone xallinone xall-in-one